

INDEX MAPS.

T. 3 S R. 7 W 2^d Mer.

72	72	71	71	70	70
100 6	80 5	79 4	77 3	75 2	73 1 69
91	80	80	78	77	75
100 7	92 8	79 9	78 10	75 11	73 12 69
92	92	84	85	78	76
100 18	93 17	89 16	86 15	83 14	74 13 69
93	93	89	86	83	81
101 19	93 20	90 21	87 22	84 23	81 24 96
94	94	90	87	84	81
101 30	94 29	90 28	87 27	85 26	82 25 96
95	95	91	88	85	82
102 31	96 32	91 33	88 34	85 35	83 36 97
98	99-98	99-98	99-98	99-97	99-97

T. 4 S R. 7 W. 2^d Mer.

104-103	104-103	104-103	104-103	104-103	104-103
128 6	124 5	124 4	123 3	123 2	123 1 126
121	122	121	122	122	125
128 7	121 8	121 9	120 10	120 11	120 12 126
119	119-118	118	118	118	120
128 18	119 17	117 16	117 15	117 14	117 13 126
115	115	115	114	114	116
127 19	114 20	114 21	114 22	113 23	113 24 125
111	111	112	112	112	113
127 30	111 29	110 28	109 27	108 26	107 25 125
111	110	109	108	107	106
127 31	110 32	109 33	108 34	107 35	106 36 125
105	125	105	105	105	125

The figures on the lines refer to the page.

T. No. 4. South of Range No 7. (West of the 2nd Mer.

West On a Random line Between Towns 3 & 4. S. Co. 7 W.
 16. 00 To a Run 10. lks. wide; Course. N.W.
 40. 00 Set a Temporary Off- Sec. Post;
 59. 00 A Brook 25. lks. wide; Course S.
 80. 00 Set a Temporary 1. mile. Post. — This mile. is level
 2nd rate Land. Timber. Oak, Hick⁴ Blue Ash. 70° 40' E. v. ✓

West On a Random line Between Towns 3 & 4. Side of Sec. 35.
 40. 00 Set a Temporary Off- Sec. Post.
 80. 00 Set a Temporary 2. mile. Post. Land 2nd rate. &c.
 Timber Oak. & Hickory. &c.

West On a Random line Between Towns 3 & 4. Side of Sec. 34.
 10. 00 To a Run 10. lks. wide. Course S.E.
 40. 00 Set a Temporary Post for corner to Off- Sec.
 64. 00 To a Run 10. lks. wide. Course S.W.
 71. 00 A Brook 40. lks. wide. Course South.
 80. 00 Set a Temporary 3. mile. Post. Mostly 2nd rate
 Upland. Timber. Oak. Hickory. & some Bottom Land.
 Ash. Elm. Sugar tree & W. Walnut.

West On a Random line Between Towns 3 & 4. S. side of Sec. 33.
 40. 00 To a Run 10. lks. wide. Course N.W.
 40. 00 Set a Temporary Post cor. to Off- Sec.
 76. 00 A Run 10. lks. wide. Course S.E.
 80. 00 Set a Temporary 4. mile Post. Land 2nd rate. &
 partly Unimproved. Timber. W. Oak. Hickory & Gum.

West On a Random line Between Towns 3 & 4. S. side of Sec. 32.
 40. 00 Set a Temporary Post corner to Off- Sec.
 80. 00 Set a Temporary 5. mile Post. The land is 2nd rate.
 Timber. W. Oak. Hickory. Gum & G. poplar.

West On a Random line Between Towns. 3 & 4. S. side of Sec. 31.
 18. 00 To a Run 20. lks. wide. Course S.
 40. 00 Set a Temporary Post corner to Off- Sec.

T. N. 4. S. R. N. 7. W. 2nd Mer.

50. 00 A Run 12. lks. wide. Course S.
 65. 00 To a Creek 15. lks. wide. Course S. E.
 75. 00 " " " " " N. E.
 103. 60 In turn at the W. Range line 300. lks. N. of the Post corner
 of Towns 3. 3. 4. 4. Range 7. 8. W. 3rd rate Upland.
 & bottom. Timber. Oak. Hickory. Ash. Elm & Maple.

- East From the corner of Towns 3. 3. 4. 4. Range 7. 8. S. of Sec 31.
 63. 60 Set a Gt. Tree Post from which a W. Oak 18. in? diam? bears
 N. 40. W. 41. lks. dist? & a P. 12. in? diam? bears S. 40. E. 15. lks. dist?
 103. 60 Set a 5. mile. Post, from which a W. Oak 16. in? diam? bears N.
 29. W. 12. lks. dist? & a P. 18. in? diam? bears S. 18. E. 31. lks. dist?

- East Between Towns 3. & 4. On a true line S. side of Sec. 32.
 40. 00 Set a Gt. Tree Post from which a Hickory 12. in? diam? bears S.
 64. W. 25. lks. dist? & a Gum 9. in? diam? bears N. 22. E. 40. lks.
 80. 00 Set a 4. mile. Post, from which a Logwood 7. in? diam? bears
 N. 2. E. 31. lks. dist? & a P. 6. in? diam? bears S. 33. W. 09. lks. dist?

- East Between Towns 3. & 4. On the true line S. side of Sec. 33.
 40. 00 Set a Gt. Tree Post from which a Hickory 10. in? diam? bears
 S. 56. E. 13. lks. dist? & a W. Oak 22. in? diam? bears N. 7. W. 58. lks. dist?
 80. 00 Set a 3. mile Post, from which an Elm 8. in? diam? bears
 N. 31. E. 15. lks. dist? & a W. Oak 8. in? in diam? bears S. 40.
 W. 18. lks. dist? Nov 20. 180. 5.

- East Between Towns 3. & 4. On a true line. On the S. side of Sec. 34.
 40. 00 Set a Gt. Tree Post, from which a B. Oak 7. in? diam? bears N.
 W. E. 20. lks. dist? & a W. Oak 14. in? diam? bears S. 71. W. 27. lks. dist?
 50. 00 Set a 2. mile Post, from which a Hickory 6. in? diam? bears
 N. 45. E. 18. lks. dist? & a W. Oak 6. in? diam? bears S. 55. W. 12. lks.

- East Between Towns 3. & 4. On a true line S. side of Sec. 35.
 40. 00 Set a Gt. Tree Post, from which a W. Oak 18. in? diam? bears
 N. 39. W. 31. lks. dist? & a B. Oak 9. in? diam? bears S. 18. E. 65. lks.
 80. 00 Set a 1. mile Post, from which a Buck 6. in? diam? bears S.

T. N. 4. S. R. N. 7. W. 2nd Mer.

28. E 70. lbs. dist. 8 1/2 Birch 8. in. diam. bears N 37. W 42 lbs. dist.

East Between Towns 3. & 4. On Tree line. on the S. side of Sec. 36,
40. 00 Set a Gt. Sec. Post from which a Cherry tree 6 in. diam. bears
S 81. E 10 lbs. dist. 8 1/2 B. Walnut 6 in. diam. bears N 30. W 15. lbs. dist.
50. 00 Intersect the E. Range line at a Post corner of Towns 3. 3. 4. 4.
Ranges 6. & 7. Nov. 21st 1865.

West On the South Boundary. Sec. 35
40. 00 Set a Gt. Sec. Post from which a B. Jack 9. in. diam. bears S 43.
E 36. lbs. dist. 8 1/2 B. Jack 6. in. diam. bears N 64. W 16. lbs. dist.
50. 00 Set a Post corner to Sec. 34 & 35, from which a W. Oak 16. in. in
diam. bears N 13. E 25. lbs. dist. 8 1/2 W. Oak 14. in. diam. bears
S 31. W 65. lbs. dist.

West On the South Boundary. Sec. 34
40. 00 Set a Gt. Sec. Post from which a Dogwood 6 in. diam. bears S 63.
W 22. lbs. dist. 8 1/2 B. 6. in. in diam. bears N 40. E 24 lbs. dist.
50. 00 Set a Post corner to Sec. 33 & 34, from which a B. Oak 21.
in. diam. bears N 38. E 36. lbs. dist. 8 1/2 W. Oak 21. in. diam.
bears, S 8. 4. W 37. lbs. dist.

West On the S. Boundary. Sec. 33.
40. 00 Set a Gt. Sec. Post from which a Gum 6. in. diam. bears N.
53. W 40. lbs. dist. 8 1/2 Maple 16. in. diam. bears S 30. E 27. lbs.
50. 00 Set a Post corner to Sec. 32. & 33 from which a B. Oak 21.
in. diam. bears S 38. E 14. lbs. dist. 8 1/2 W. Oak 12. in. in
diam. bears N 35. W 52. lbs. dist.

West On the South Boundary. Sec 31
40. 00 Set a Gt. Sec. Post.
(Residue of this line appears to be run)
(The whole of it was previously run by W. Rector L.D.S.)

North On the East Boundary of Sec 36

T. N 4. S. R. N 7 W. 2nd Mer.

80. 00 Set a Post corner to Sec. 25. & 36. from which a W Oak 27. in. diam. bears S 45. E. 75. lbs. dist. & a W Oak 12. in. in diam. bears N 45. W. 66. lbs. dist.

North On the East Boundary of Sec 25

80. 00 Set a Post corner of Sec. 24. & 25. from which a Hickory 9. in. diam. bears S. 48. E. 30. lbs. dist. & a W Oak 18. in. in diam. bears N. 50. W. 66. lbs. dist.

North On the Eastern Boundary. Sec. 24

50. 00 Set a Post ^{Cor. of Sec. 13 & 24} from which a B. Oak 6. in. diam. bears N. 21. E. 35. lbs. dist. & a B. Oak 8. in. diam. bears S. 31. W. 35. lbs. dist.

North On the E. Boundary. of Sec 13

50. 00 Set a Post corner to Sec. 12. & 13. from which a B. Oak 12. in. diam. bears N. 53. W. 15. lbs. dist. & a Dogwood 6. in. diam. bears S. 53. E. 32. lbs. dist.

North Between Sec. 35. & 36. T. 4. S. R. 7 W.

20. 00 A Run 5. lbs. wide. Course E.
 40. 00 Set a Gt. Sec. Post from which a B. Oak 18. in. diam. bears N. 43. W. 44. lbs. dist. & a W. Oak 6. in. diam. bears S. 55. E. 18. lbs.
 76. 00 Set a Brook 12. lbs. wide; Course S. E.
 80. 00 Set a Post corner of Sec. 25. 26. 35. & 36. T. 4. S. R. 7 W. from which an Elm 9. in. diam. bears N. 12. W. 23. lbs. dist. & a W. Oak 21. in. diam. bears S. 21. E. 73. lbs. dist.
 The first half mile is 2nd rate Upland Timber. Oak. Hickory, Gum. &c. The 2nd half is Bottom land. Timber. Ash, Elm, Oak. & Hickory.

East On a Random line between Sec. 25. & 36. T. 4. S. R. 7

34. 00 A Brook 75. lbs. wide; Course S.
 38. 00 Croquet a Tree heading N.
 40. 00 Set a Temporary Gt. Sec. Post.
 45. 00 Set a Run 6. lbs. wide. Course S. W.
 75. 00 Set a Run 6. lbs. wide. Course South.

T. N 4. S. R. N 7. W. 2nd. Mer.

82. 00 Intersect the East Range line N. of the Post Corner of Sec. 25. & 36.

West Between Sec. 25. & 36. On a true line. T. 4. S. R. 7. W.

41. 00 Set a G^o Sec. Post, from which a M. Oak 15. in. diam. bears N. 44. E. 62. lbs. dist. & a M. Oak 20. in. diam. bears S. 46. W. 37. lbs. dist.

82. 00 Intersect the Meridian at the corner of Sec. 25. 26. 35. & 36. The East half Upland. Timber. Oak. & Hickory. The second half is Bottom land. Timber. Ash Elm &c. Nov 28th 1805.

North Between Sec. 25. & 26. T. 4. S. R. 7. W.

40. 00 Set a G^o Sec. Post, from which a M. Oak 10. in. diam. bears S. 65. W. 23. lbs. dist. & a B. Oak 6. in. diam. bears N. 67. E. 13. lbs. dist.

80. 00 Set a Post corner of Sec. 23. 24. 25. & 26. T. 4. S. R. 7. W. from which a M. Oak 14. in. diam. bears S. 39. W. 44. lbs. dist. & a M. Oak 18 in. diam. bears N. 32. E. 63 lbs. dist. This mile is 2nd rate land; gently uneven. Timber. M. Oak. B. Oak. Hickory, Dogwood &c. many Brins & Birch.

North Between Sec. 34. & 35. T. 4. S. R. 7. W.

31. 50 A Run 7. lbs. wide course S. E.

24. 26 To a M. Oak 30. in. diam. in the line.

37. 00 A Run 8. lbs. wide. course S. E.

40. 00 Set a G^o Sec. Post from which a Maple 7. in. diam. bears S. 21. W. 13. lbs. dist. & a Maple 8. in. diam. bears N. 32. E. 30. lbs. dist.

80. 00 A B. Oak 6. in. diam. to corner of Sec. 26. & 27. 34. & 35. from which a B. Oak 21. in. diam. bears S. 72. E. 64. lbs. dist. & a Dogwood 9. in. diam. bears N. 55. W. 44. lbs. dist. Good Upland; gently uneven. Timber. Hickory Ash & Gum.

East On a Random line Between Sec. 26. & 35. Town 4. S. Range 7

41 00 To a Brook 20. lbs. wide course S. E.

40. 00 Set a Temporary Post. corner to G^o Sec.

80. 70 Intersect the Meridian at a Post Sec. 25. 26. 35. & 36. The Land is 2nd rate Timber. M. Oak. Hickory & Gum.

West Between Sec. 26. & 35. On a true line. T. 4. S. R. 7. W.

T. N. 4. S. R. N. 7. W. 2nd Mer.

40. 35 Set a Gt. Sec. Post; from which a Dogwood 6. in. diam. bears S. 22. E. 13. lbs. dist. & a Gum 9. in. diam. bears N. 2. W. 25. lbs.

North Between Secs. 26. & 27. T. 4. S. R. 7. W.

12. 00 A Run 6. lbs. wide. Course E.

18. 67 A W. Oak 10. in. diam. in the line.

23. 50 To a Run 6. lbs. wide. Course E.

30. 00 A Run 8. lbs. wide. Course S. E.

40. 00 Set a Gt. Sec. Post from which a W. Oak 9. in. diam. bears N. 55. W. 4. lbs. dist. & a Gt. 7. in. diam. bears S. 10. E. 18. lbs. dist.

64. 00 To a Run 6. lbs. wide. Course S. E.

80. 00 Set a Post corner to Secs. 22. 23. 26. & 27. Town 4. South Range 7. West. from which a B. Oak 14. in. diam. bears S. 35. E. 34. lbs. dist. & a Gum 10. in. diam. bears N. 47. W. 55. lbs. dist. This mile is gently Uneven; Timber. Oak. Hickory. Gum &c. Undergrowth. Huckle. Sassafras. &c. Soil good.

North Between Secs. 33. & 34. T. 4. S. R. 7. W. The Land is gently Uneven. Timber. W. & B. Oak. Hickory Gum &c. soil good.

8. 00 A Run 4. lbs. wide. Course E.

19. 24 A W. Oak 12. in. diam. in the line.

40. 00 Set a Gt. Sec. Post from which a Gum 16. in. diam. bears S. 65. W. 11. lbs. dist. & a Gum 12. in. diam. bears N. 65. E. 30. lbs. dist.

43. 50 To a Run 4. lbs. wide Course S. W.

62. 23 A Gum 12. in. diam. in the line.

80. 00 Set a Post corner to Secs. 27. 28. 33. & 34. from which a W. Oak 8. in. diam. bears S. 21. E. 54. lbs. dist. & a W. Oak 9. in. diam. bears N. 3. W. 50. lbs. dist.

East On a Random line. Between Secs. 27. & 34.

36. 00 A Brook 12. lbs. wide. Course S. W.

40. 00 Set a Temporary Gt. Sec. Post.

80. 00 Intersect the Meridian 35. lbs. N. of the Post. corner to Secs. 26. 27. 34. & 35. 2nd note bears. Oak. Hick. & Gum &c.

West Between Secs. 27. & 34. T. 4. S. R. 7. W. On the True line.

T. N. 4. S. R. 7. W. of the 1st Mer.

40. 00 Set a G^o Che. Post. from which a B. Oak 12 in. diam. bears S 29.
W 15. lbs. dist. 8 1/2 Cherry 6 in. diam. bears N 44. E. 12. lbs. dist.
80. 00 Intersect the Meridian at the corner of Sec. 27. 28. 33 & 34.

- North Between Sec. 27. & 28. T. 4. S. R. 7. W. Sec. 29. 1805
5. 00 A Run 4 lbs. wide. Course W.
20. 30 A Hickory 20 in. diam. in the line.
40. 00 Set a G^o Che. Post. from which a Dogwood 6 in. diam. bears N.
44. W. 09. lbs. dist. 8 1/2 W. Oak 16 in. diam. bears S. 45. E. 20. lbs.
63. 88 To A W. Oak 24 in. diam. in the line.
67. 00 A Run 5 lbs. wide. Course W.
80. 00 Set a Post corner to Sec. 21. 22. 27 & 28. T. 4. S. R. 7. W.
from which a W. Oak 22 in. diam. bears S. 24. W. 54. lbs.
dist. 8 Dogwood 6 in. diam. bears N. 3. E. 30. lbs. dist.
Unclass. Sand. Timber. Oak. Hick. Gum. Soil good. &c.

- North Between Sec. 32 & 33. T. 4. S. R. 7. W.
40. 00 Set a G^o Che. Post. from which a B. Walnut 14 in. in
diam. bears N. 77. W. 12. lbs. dist. 8 1/2 W. Oak 10 in. in
diam. bears S 36. E. 28. lbs. dist.
71. 50 A Run 4 lbs. wide. Course S. E.
80. 00 Set a Post corner to Sec. 28. 29. 32. & 33. in Town 4
from which a W. Oak 14 in. diam. bears S. 25. W. 29. lbs.
dist. 8 1/2 W. Oak 18 in. diam. bears N. 59. E. 60. Soil Good.
Timber. Oak. Hickory Gum. B. Walnut & Ash. Soil good.

- East On a Random line Between Sec. 28. & 33.
40. 00 Set a Post corner to G^o Che.
45. 00 A Brook 40 lbs. wide; Course S. E.
80. 00 Intersect the Meridian 57 lbs. S of the Post. corner to
Sec. 27. 28. 33. & 34. Town 4. S. Range 7. W. 1st Range
Bottom Land. Timber. Ash. Elm. Maple. &c. The last half
is 1st Range Upland; Timber. Oak. Hickory &c.

- West Between Sec. 25. & 33. On the True line.
110. 30 Set a G^o Che. Post. from which a Sycamore 6 in. diam. bears S.

T. N^o 4. G. R. N^o 7. W. 2nd Mer.

S. 67. W. 20. lks. dist. & a Post 12. in. bears N. 62. E. 68. lks. dist.
 80. 60 Intersect the Meridian at a Post corner to Sec. 28, 29, 32, 33.

North Between Sec. 28. & 29. T. 4. G. R. 7. W.

38. 00 A Run 7. lks. wide; Course S. E.

40. 00 Set a G^o Sec. Post; from which an Elm 20. in. diam. bears
 S. 29. E. 34. lks. dist. & a W. Oak 20. in. bears N. 62. W. 31. lks.

50. 00 Set a Post corner to Sec. 20. 21. 28. 29. from which a
 W. Ash 10. in. diam. bears S. M. W. 25. lks. dist. & a B.
 Jack 9. in. diam. bears N. 67. E. 49. lks. dist. The first 1/2
 mile is gently Uneven. Timber. Oak. Hickory, Ash, &c.
 The last half mile. is level. swampy Land. Timber. Ash,
 Elm, Maple, & Oak. —

North Between Sec. 31. & 32. T. 4. G. R. 7. W.

18. 00 A Run 35. lks. wide; Course S. E.

40. 00 Set a G^o Sec. Post from which a Dogwood 8. in. diam.
 bears S. 59. W. 15. lks. & a Sh. 8. in. diam. bears N. 30. E. 39. lks.

60. 00 A Run 6. lks. wide. Course S. W.

80. 00 Set a Post corner to Sec. 29. 30. 31. & 32. from which a W. Oak
 12. in. diam. bears S. 48. W. 20. lks. dist. & a B. Oak 16. in. in
 diam. bears N. 57. E. 21. lks. dist. — This mile is level
 Land. Timber W. & B. Oak, Ash, Elm, &c. The soil is good.
 Undergrowth Briers. Plant. Lushes. &c.

East On a Random line Between Sec. 29. & 32.

22. 00 A Run 4. lks. wide Course S. W.

40. 00 Set a Temporary G^o Sec. Post.

47. 00 A Run 6. lks. wide Course S. E.

50. 30 Intersected the meridian at a Post. corner of Sec. 28. 29.
 32 & 33. Hilly 2nd rate Land. Oak. Hick. Gum &c. Timber.

West Between Sec. 29. & 32. On a True line T. 4. G. R. 7. W.

10. 25 Set a G^o Sec. Post. from which a W. Oak 12. in. diam. bears
 S. 43. E. 37. lks. dist. & a Dogwood 6. in. bears N. 82. W. 11. lks. dist.

50. 50 Intersect the Mer. at a Post corner of Sec. 29. 30. 31. & 32.

T. N. 4. G. R. N. 7. W. 2nd Mer.

- West Between Sec? 30 & 31. On the True line. T. 4. S. R. 7. W.
 37. 00 A Run 8. lks. wide; course S. W.
 40. 00 Set a Gt. Sec. Post from which a B. Oak 12. in? diam? bears S.
 39. E. 26. lks. dist. no more trees near.
 96. 37 Intersect the W. Range line at a mile Post borne to Sec? 30.
 & 31. Level Brushy Land, Oak. Hickory. B. Oak &c. The soil is poor.

- North Between Sec? 29 & 30. T. 4. G. R. 7. W.
 29. 75 A B. Oak 18. in? diam? in the line.
 40. 00 Set a Gt. Sec. Post, from which a W. Oak 22. in? diam? bears
 S. 22. E. 14. lks. dist? & a W. Oak 20. in? diam? bears N. 61. W. 36. lks.
 58. 16 A B. Oak 20. in? in diam? in the line.
 80. 00 Set post borne to Sec? 19. 20. 29. & 30. from which a W. Oak
 27. in? diam? bears N. 70. E. 42. lks. dist? & a W. Oak 18. in?
 diam? bears S. 99. W. 44. lks. dist. This mile is gently
 uneven. Timber. W. Oak. Hickory Gum &c. Undergrowth of
 Saplings. Bruses. &c. &c.

- West Between Sec? 19. & 30. on a True line T. 4. G. R. 7. W.
 19. 50 To a Run 8. lks. wide. Course South.
 40. 00 Set a Gt. Sec. Post, from which a B. Oak 8. in? diam? bears N.
 12. E. 60. lks. dist? & a B. Oak 8. in? diam? bears S. 70. W. 10. lks. dist?
 53. 50 To a Run 10. lks. wide. Course South.
 62. 00 A Run 5. lks. wide. Course S. E.
 96. 40 Intersect the W. Range line. 2. 00 lks. N. of the Post, & set a Post
 borne to Sec? 19. & 30. from which a B. Oak 20. in? diam? bears
 S. 72. E. 10. lks. dist? & a B. Oak 8. in? diam? bears N. 66. W. 34. lks. dist.
 Land 2nd rate gently uneven Timber. W. Oak. Hickory. Gum.
 Plum &c. & many Bruses;

- East. On a Random line. Between Sec? ²⁹ 29. ~~28~~. T. 4. S. R. 7. W.
 10. 00 Set a Temporary Gt. Sec. Post.
 50. 00 Intersect the Mer. at a Post borne of Sec? 20. 21. 28. & 29.
 Level 2nd rate land. Timber Hickory W. & B. Oak. Gum.

West

T. 4. S. R. 7. W. 2nd Mer.

from which a D. Oak 20. in. diam.
 bears S. 9. W. 115. lbs. dist. 8 a — 6 in. diam. N 74. E 12 lbs.

East On a Random line Between Sec. 21. & 28.

1. 30 Set a Brook 40 lbs. wide. Course S. E.
 40. 00 Set a Temporary Post. Come to G. Sec.
 44. 00 Set a Run 6. lbs. wide. Course S. W.
 70 00 Set a Run 7. lbs. wide. Course S. W.
 80 52 Intersect the meridian at a Post corner of Sec. 21. 22.
 27. & 28. T. 4. S. R. 7. W. Mer. 1 Part of the land is
 2nd rate Bottoms. Timber. Ash. Elm. Maple & a
 Part is 2nd rate. Upland. Timber. Oak & Hickory.

West Between Sec. 21. & 28. On the True line. T. 4. S. R. 7. W.

40. 26 Set a G. Sec. Post from which a Dogwood 6 in. diam. bears
 N. N. E. 39. lbs. dist. 8 a D. Walnut. 12. in. diam. bears S. 10.
 E 27 lbs. dist.
 80 30 Intersect the Meridian at a Post. corner of Sec. 20. 21. 28. 29.

East On a Random line Between Sec. 22. & 27. T. 4. S. R. 7. W.

32. 00 Set a Run 6. lbs. wide. Course N. E.
 40. 00 Set a Temporary G. Sec. Post.
 80. 00 Intersect the Mer. 45. lbs. N. of the corner of Sec. 22. 23. 26 & 27.

West Between Sec. 22. & 27. On the True line. T. 4. S. R. 7.

40. 00 Set a G. Sec. Post. from which a Persimmon 6. in. diam. bears N.
 12. W 14. lbs. dist. 8 a W. Oak. 18. in. diam. bears S. 26. E. 22. lbs. dist.
 80. 00 Intersect the Meridian at the cor. Post. of Sec. 21. 22. 27. & 28.

East On a Random line Between Sec. 23. & 26. T. 4. S. R. 7.

40. 00 Set a Temporary G. Sec. Post.
 44. 00 Set a Run 15. lbs. wide. Course S. E.
 82. 00 Intersect the Meridian 53. fms. N. of the Post. Corner to Sec.
 23. 24. 25. & 26. This mile is Boundary thinly timbered with Oak & Sycamore

West Between Sec. 23. & 26. On a True line. T. 4. S. R. 7. W.

T. 4. S. R. 7. W. 2nd. Mer.

Set a G^o Sec. Post from which a W. Oak 12. in. diam. bears S. 22. W. 19. lbs. dist. & a Cherry 14. in. diam. bears S. 4. W. 24. lbs. dist.

East On a Random line between Sec. 24 & 25. T. 4. S. R. 7.

1. 00 A Run 6. lbs. wide. Course N.E.

40. 00 Set a Temporary G^o Sec. Post.

43. 50 A Brook 70. lbs. wide. Course S. W.

46. 00 " Same " " " N.E.

47. 50 " Same " " " South

49. 00 Crossed a Space. " " " N. W.

Intersect the E. Range line at a Post; corner to Sec. 24 & 25. The first half is 2nd rate Upland. Timber. Oak. Hickory &c. last half is 2nd rate Bottom Land. Ash. Elm. Maple, &c.

West Between Sec. 25 & 36. T. 4. S. R. 7. W. On the True line.

Set a G^o Sec. Post from which a D. Oak 10. in. diam. bears S. 31.

W. 32. lbs. dist. & a R. Spruce 6. in. diam. bears S. 55. E. lbs. dist.

North Between Sec. 23 & 24. T. 4. S. R. 7. W.

32. 50 A Brook 70. lbs. wide. Course S.E.

35. 00 A Brook 70. lbs. " " " S. W.

40. 00 Set a G^o Sec. Post; from which a W. Walnut 10. in. diam. bears S. 27. E. 28. lbs. dist. & a Dogwood 6. in. diam. bears S. 44. W. 10. lbs. dist.

40. 50 To a Brook 70. lbs. wide; Course S.E.

63. 00 To a Brook 70. lbs. wide. Course S. W.

66. 00 To a Brook 70. lbs. wide. Course S.E.

79. 50 To a Run 12. lbs. wide; Course S. W.

80. 00 Set a Post corner to Sec. 13. 14. 23. & 24. T. 4. S. R. 7. W. from which a Sycamore 10. in. diam. bears S. 44. E. 28. lbs. dist. & a Birch 14. in. diam. bears S. 58. W. 24. lbs. dist. The first half is 2nd rate Upland. Timber. W. Oak. Hickory. Spruce. The last half is 2nd rate Bottom Land. Timber. Elm. W. Walnut. Oak;

North Between Sec. 22 & 23. T. 4. S. R. 7. W. Sec. 22 & 23.

33. 00 To a Run 12. lbs. wide. Course S.E.

40. 00 Set a G^o Sec. Post; no bearing Trus.

T. P. 4. S. B. N. 7. W. 2nd Mer.

ch. R. L. H.

80. 00 Set a Post corner Sec. 14. 15. 22. & 23. T. 4. S. B. 7. W.
from which a D. Jack 8. in. diam. bears S. 27. E. 25. lks. dist.
& a B. Jack 8. in. diam. bears N. 18. W. 25. lks. dist. This
mile is Brushy Barrens. Some few Oak & B. Jack. Trees.

North Between Sec. 21 & 22. T. 4. S. B. 7. W.

32. 00 A Run 4. lks. wide. Course E.

40. 00 Set a Q. Sec. Post from which a Hickory 6. in. diam. bears
165. W. 27. lks. dist. & a B. Oak 12. in. diam. bears S. 28.
E. 25. lks. dist.

72. 00 To a Run 12. lks. wide. Course S. E.

80. 00 Set a Post corner to Sec. 15. 16. 21. & 22. from which a
B. Oak 14. in. diam. bears N. 41. W. 34. lks. dist. & a Gum
12. in. diam. bears S. 30. E. 30. lks. dist. The Land is
2nd rate. Timber. Oak & Hickory. Gum &c.

North Between Sec. 20. & 21. T. 4. S. B. 7. W.

15. 00 A Brook. 40. lks. wide. S. E.

40. 00 Set a Q. Sec. Post from which a 7. in. diam. bears N. 12 $\frac{1}{2}$.
W. 24. lks. dist. & an Elm 10. in. diam. bears S. 33. E. 36. lks. dist.

54. 00 To a Run 10. lks. wide. Course S. W.

80. 00 Set a Post corner to Sec. 16. 17. 20 & 21. T. 4. S. B. 7. W.
from which a Dogwood 9. in. diam. bears S. 56. E. 44. lks. dist.
& a W. Oak 30. in. diam. bears N. 29. W. 23. lks. dist. Land
mostly level. 2nd rate Bottom Timber. W. Oak. W. Ash B.
Jack. &c. & some 2nd rate Upland. Timber. Oak & Hickory.

North Between Sec. 19. & 20. T. 4. S. B. 7. W.

40. 00 Set a Q. Sec. Post from which a W. Oak 14. in. diam. bears S. 40.
W. 51. lks. dist. & a D. 10. in. diam. bears S. 74. E. 43. lks. dist.

63. 82 A B. Oak 30. in. in diam. bears the line.

80. 00 Set a Post corner to Sec. 17. 18. 19 & 20. T. 4. S. B. 7. W. from
which a W. Oak 36. in. diam. bears S. 59. E. 23. lks. dist. & a
W. Oak—in. diam. bears N. 73. W. 45. lks. dist. This mile
is mostly Upland. Timber. W. Oak. Hickory Gum. &c.
Soil good. Undergrowth. W. Oak. Hickory. Gum. &c. &c.

T. N. 4. S. R. N. 7. W. 2nd Mer.

- West Between Secs. 18. & 19. on the True line. T. 4. S. R. N. 7. W.
40. 00 Set a 1/4th Sec. Post; from which a B. Oak 16. in. diam. bears S. 20. E. 44. lbs. dist. & a B. Oak 18. in. diam. bears S. 7. W. 57. lbs. dist.
76. 00 To a Run 10. lbs. wide; Course S.
96. 00 Intersect the W. Range line 2.82. lbs. S. of the Post & set a Post Cor. to Secs. 18. & 19. from which a B. Oak 27. in. diam. bears S. 37. E. 30. lbs. dist. & a W. Oak 8. in. diam. bears S. 81. W. 25. lbs. dist.
- This mile is gently uneven. - Timber W. & B. Oak. Hickory. & Gum. Undergrowth. Hazle. & Sassafras. Soil good.

- East On a Random line. Between Secs. 17. & 20. T. 4. S. R. N. 7. W.
36. 00 A Brook 35. lbs. wide. Course S. E.
40. 00 Set a Temporary 1/4th Sec. Post.
52. 00 Intersect the meridian 14. lbs. S. of the Post. Cor. to Secs. 16. 17. 20. & 21. Land level. Timber. W. Oak. Hickory. Ash. Gum. Elm. &c. The Soil is good.

- West Between Secs. 17. & 20. on the True line. T. 4. S. R. N. 7. W.
41. 00 Set a 1/4th Sec. Post; from which a Gum 10. in. diam. bears S. 1. W. 15. lbs. dist. & a B. Oak 7. in. diam. bears S. 53. E. 21. lbs. dist.
50. 00 Intersect the S. & W. line at a Post. Corner of Secs. 17. 18. 19. 20.

- East On a Random line between Secs. 16. & 21. T. 4. S. R. N. 7. W.
10. 00 To a Run 6. lbs. wide; Course S.
15. 00 To a Run 10. lbs. wide; Course S.
40. 00 Set a Temporary Post Cor. to 1/4th Sec.
64. 00 A Run 4. lbs. wide; Course S. E.
72. 00 A Run 12. lbs. wide; Course S. E.
81. 00 Intersect the S. & W. line at the Post. Cor. of Secs. 15. 16. 21. & 22.
- This mile generally uneven. Timber. Oak. Hickory. Gum. Ash. Soil good.

- West Between Secs. 16. & 21. T. 4. S. R. N. 7. W. On the True line.
40. 50 Set a 1/4th Sec. Post. from which a Dogwood 6. in. diam. bears S. 32. E. 14. lbs. dist. & a P. 6. in. diam. bears S. 49. W. 33. lbs. dist.
54. 00 Intersect. the S. & W. line. at a Post. Corner of Secs. 16. 17. 20. & 21.

T. N 4. G. R. N 7. W. 2nd Mer.

East On a Random line. Between Sec. 15. & 22. T. 4. S. R. 7. W.
 21. 00 To a Run 4. lks. wide. Course S.
 40. 00 Set a Temporary G^o Sec. Post.
 54. 00 A Run 5. lks. wide. Course S.E.
 80. 00 Intersect the N. & S. line at a Post Corner of Sec. 14. 15. 22. & 23.
 This mile is level Brushy land. thinly timbered, with
 B. Jack. Oak. &c. &c. Soil Poor.

West Between Sec. 15. & 22. T. 4. S. R. 7. W. On the True line.
 40. 00 Set a Temporary G^o Sec. Post. No bearing Trees.
 80. 00 Intersect the N. & S. line at a Post. Cor. of Sec. 16. 17. 20. & 21.

East On a Random line between Sec. 14. & 23. T. 4. S. R. 7. W.
 40. 00 Set a Temporary G^o Sec. Post.
 60. 00 To a Brook 70. lks. wide. Course S.
 81. 10 Intersected the N. & S. line 53. lks. S. of the Post. Cor. of Sec.
 14. 15. 22. & 23. This mile is mostly brushy hills. Timber. Oak,
 B. Jack, &c. & some Bottom Land. Timber. Ash. Elm. &c.

West Between Sec. 14. & 23. On a True line. T. 4. S. R. 7. W.
 40. 55 Set a G^o Sec. Post. from which a Dogwood 6. in. diam. bears
 N. 30. E. 25. lks. dist. & a B. Oak 6. in. diam. bears S. 28. W. 28. lks. dist.
 Intersect the meridian at a Post Corner of Sec. 13. 14. 23. & 24.

East On a Random line Between Sec. 13. & 24 T. 4. S. R. 7.
 00. 20 To a Run 12. lks. wide. Course S.
 5. 00 Cropped a Trace.
 40. 00 Set a Temporary G^o Sec. Post. This 42. mile is 2nd rate
 Bottom Land. Timber. Ash, Elm, Oak. &c.
 81. 00 Intersected the E. Range line. 30. lks. N. of the Post. Corner
 of Sec. 13. & 14. This 42. mile is 2nd rate Allpland, Oak. Hick. &c.

West Between Sec. 13. & 24. On a True line T. 4. S. R. 7. W.
 40. 50 Set a G^o Sec. Post. from which a W. Oak 12. in. diam. bears
 Sec. N. 14. lks. dist. & a B. Oak 6. in. diam. bears N. 46. E. 43. lks. dist.
 81. 00 Intersected the N. & S. line at Post. Dec. 2nd 1805.

T. N^o 4. S. R. N^o 7. W. 2nd. Mer.

- North Between Sec^s 13. & 14. T. 4. S. R. 7. W.
 2 00 A Run 12. lks. wide; Course S. E.
 40 00 Set a G^o Sec. Post; from which a W. Oak 16. in? diam? bears N. 29. W. 53. lks. dist? & a W. Oak 12. in? bears S. 27. E. 41. lks. dist?
 50 00 A Run 5. lks. wide. Course S. W.
 65 00 A Brook. 65. lks. wide. Course S. W.
 80 00 Set a Post corner to Sec^s 13. 14. 11. & 12. from which a W. Oak 12. in? diam? bears N. 28. E. 92. lks. dist? & a Gum 20 in? diam? bears S. 14. W. 24. lks. dist? Good swampy Land.
 Timber. Ash. Elm. Oak. Hickory &c.

- North Between Sec^s 14. & 15. T. 4. S. R. 7. W.
 22 50 To a Run 4. lks. wide. Course S. E.
 40 00 Set a G^o Sec. Post; no bearing Trees.
 46 00 To a Brook. 10. lks. wide; S. E. This mile is brushy & Barren Land. Thinly Timbered with Oak & D. Jack.
 80 00 Set a Post corner of Sec^s 10. 11. 14. & 15. T. 4. S. R. 7. W. from which a B. Jack 10. in? diam? bears S. 12. W. 53. lks. dist? & a B. Jack 8. in? diam? bears S. 3. E. 33. lks. dist?

- North Between Sec^s 15. & 16. T. 4. S. R. 7. W.
 10 00 Set a G^o Sec. Post; from which a B. Jack 10. in? diam? bears S. 63. W. 16. lks. dist? & a W. Oak 9. in? diam? bears S. 56. E. 46.
 44 50 A W. Oak 20. in? diam? in the line.
 75 00 To a Run 4. lks. wide. Course N. E.
 80 00 Set a Post corner to Sec^s 9. 10. 15. & 16. T. 4. S. R. 7. W. from which a W. Oak 12. in? diam? bears N. 24. E. 79. lks. dist? & a W. Oak 16. in? diam? bears S. 3. W. 28. lks. dist? This mile is hilly Upland; Timber. Oak. Hickory. Gum &c. Soil good.

- North Between Sec^s 16. & 17. T. 4. S. R. 7. W.
 24 72 To a W. Oak 8. in? diam? in the line.
 40 00 Set a G^o Sec. Post; from which a Dogwood 6. in? diam? bears N. 61. E. 23. lks. dist? & a W. Oak 21. in? diam? bears S. 47. W. 15. lks. dist?
 66 31 To a W. Oak 12. in? diam? in the line.
 69 00 A Run 5. lks. wide; Course S. W.

T. 4. S. R. 7. West 2nd Mer.

West On a True line Between Towns 8. & 17. T. 4. S. R. 7. W.
 40 50 Set a Q² Sec. Post from which a W. Oak 18. in. diam. bears S. 49.
 E. 31. lks. dist. & a W. Ash 8. in. diam. bears N. 23. W. 31. lks. dist.

East On a Random line Between Sec^s 9. & 16. T. 4. S. R. 7. W.
 40. 00 Set a Temporary Q² Sec. Post.
 52. 50 Intersected the N. & S. line 55. lks. N. of the Post corner of Sec^s
 9. 10. 15. & 16. Soil & Timber. the same as the East.

West On a True line Between Sec^s 9. & 16. T. 4. S. R. 7. W.
 41. 25. Set a Q² Sec. Post. from which a W. Oak 33. in. diam. bears N.
 71. W. 19. lks. dist. & a Dogwood 6 in. bears S. 30. E. 55. lks. dist.

Nov. 3rd 1805.

East On a Random line Between Sec^s 10. & 15. T. 4. S. R. 7. W.
 4. 00 To a Run 7. lks. wide. Course N. E.
 25. 00 To a Run 5. lks. wide; Course N. E.
 40. 00 Set a Temporary Q² Sec. Post.
 55. 00 A Run 15. lks. wide; Course S. E.
 50. 00 Intersected the N. & S. line. at the Post corner of Sec^s 10. 11.
 14. & 15. Brushy. Briny Land. Timber. B. Jack. &c.

West On a True line Between Sec^s 10. & 15. T. 4. S. R. 7. W.
 40. 00 Set a ~~Temporary~~ Q² Sec. Post. no bearing trees.

East On a Random line Between Sec^s 11. & 14. T. 4. S. R. 7. W.
 6. 00 A Run 5. lks. wide. Course S. Open Prairie. some B. Jack. &c.
 40. 00 Set a Temporary Q² Sec. Post. This half mile is Brushy &
 Briny. thinly timbered with Oak & Hick^{ys}.
 52. 00 To a Brook 10. lks. wide; Course S. E.
 51. 00 Intersected the N. & S. line at a Post corner of Sec^s 11. 12. 13. &
 14. - 2nd rate Bottom Land. Timber. Elm. Ash. &c. &c.

West On a True line, Between Sec^s 11. & 14. T. 4. S. R. 7. W.
 40. 50 Set a Q² Sec. Post. from which a W. Oak 12. in. diam. bears S.
 36. W. 18. lks. dist. & a Q² 8. in. diam. bears N. 29. E. 18. lks. dist.

T. N. 4. S. R. N. 7. W. 2nd Mer.

- * 50. 00 Set a Post, corner to Sec. 8. 9. 16. & 17. T. 4. S. R. 7. W. from which a W. Oak 20 in. diam. bears S. 55. E. 49. lbs. dist. & a W. Oak 10 in. diam. bears N. 39. W. 09. lbs. dist. This mile is gently uneven - Timber W. Oak. Hickory Gum &c. Soil good.

North Between Sec. 17. & 18. T. 4. S. R. N. 7. W.

19. 00 A Brook 25. lbs. wide; course S. E.
 30. 61 A Hickory 16 in. in diam. in the line.
 40. 00 Set a ^{log} Post; from which a ^{log} 8 in. diam. bears N. 85. W. 18. lbs. dist. & a B. Oak 15 in. diam. bears S. 85. E. 36. lbs. dist.
 69. 00 To a Run 4. lbs. wide; course S. E.
 80. 00 Set a Post, corner to Sec. 17. 18. 1. & 8. T. 4. S. R. 7. W. from which a W. Oak 22 in. diam. bears S. 45. W. 59. lbs. dist. & a W. Oak 20 in. diam. bears N. 51. E. 25. lbs. dist.

West Between Sec. 7. & 18. T. 4. S. R. 7. W. On a True line.

28. 00 To a Brook 25. lbs. wide; course S. E.
 40. 00 Set a ^{log} Post; from which a W. Oak 16 in. diam. bears N. 60. W. 27. lbs. dist. & a B. Walnut 18 in. diam. bears S. 60. E. 14. lbs. dist.
 51. 00 To a Run 4 lbs. wide. course N. E.
 81. 50 A Run 5. lbs. wide; course S. W.
 86. 00 To a Run 4. lbs. wide; course South.
 96. 00 Intersecting the W. Range line 3. 88. lbs. N. of the Post. & set a Post corner of Sec. 7. & 18. T. 4. S. R. 7. W. 2nd Mer. from which a W. Oak 27 in. diam. bears S. 31. E. 35. lbs. dist. & a Dogwood 6 in. in diam. bears N. 39. W. 32. lbs. dist. This mile is gently uneven Timber. W. & B. Oak. Hickory. B. Walnut &c. Good soil.

East On a Random line Between Sec. 8 & 17. T. 4. S. R. 7. W.

13. 00 To a Brook 40. lbs. wide. course S. E.
 32. 50 A Run 5. lbs. wide. course South.
 39. 00 A Run 6. lbs. wide; course S. W.
 40. 00 Set a Temporary ^{log} Post.
 51. 00 Intersecting the 1. & 9. line at a Post, corner of Sec. 8. 9. 16. & 17. Land gently uneven. Good soil. Timber. Oak. Elm &c. &c.

T. N 4. S. R. N 7. W. 2nd Mer.

- East On a Random line Between Sec? 12. & 13. T. 4. S. R. 7.
 6. 00 To a Bush 40. lbs. wide; course. S. W.
 14 00 Crossed a Trace.
 28. 00 A Run 7. lbs. wide; course. S. W.
 80. 30 Intersected the East R. line 250. lbs. S. of the Post. Corner to
 Sec? 12. & 13. Thick 2nd rate Land. Timber. Oak. Gum &c.
 West On a True line. Between Sec? 12. & 13.
 40. 15 To a Gt. Sec. Post; from which an Oak 16. in? diam? bears N. 70.
 W 13. lbs. dist? & a B. Oak 10. in? diam? bears S. 64. E. 27. lbs. dist?

- North Between Sec? 11. & 12. T. 4. S. R. 7. W.
 40. 00 To a Gt. Sec. Post; from which a W. Oak 9. in? diam? bears N. 18.
 E. 41. lbs. dist? & a W. Oak 9. in? diam? bears N. 22. W. 38. lbs. dist?
 74. 00 A Run 4. lbs. wide course S. E.
 80. 00 To a Post corner to Sec? 1. 2. 11. & 12. T. 4. S. R. 7. W.
 from which a W. Oak 12. in? diam? bears S. 42. W. 13. lbs. dist?
 & a B. Oak 21. in? diam? bears N. 64. E. 47. lbs. dist?
 Soil Sand; thinly timbered with Oak & Hickory, Poor soil.

- North Between Sec? 10 & 11. T. 4. S. R. 7. W. Open Prairie
 40. 00 To a Gt. Sec. Post. no trees near.
 42 00 Thinly land. Oak & Jack. &c. Good soil. green Briars. &c.
 75. 50 A Bush 20 lbs wide; course S. W.
 80. 00 To a Post corner to Sec? 2. 3. 10. & 11. T. 4. S. R. 7. W.
 from which a B. Oak 20. in? diam? bears S. 47. W. 59. lbs.
 dist? & a B. Oak 21. in? diam? bears N. 68. E. 16. lbs. dist?

- North Between Sec? 9 & 10. T. 4. S. R. 7. W.
 21. 93 A W. Oak 18. in? diam? in the line.
 26. 11 To a Run 15. lbs. wide; course S. E.
 35. 00 To a Run 6. lbs. wide; course S. E.
 40. 00 To a Gt. Sec. Post from which a Maple 8. in? diam? bears
 S. 81. E. 17. lbs. dist? & a Maple 7. in? diam? bears N. 65. W. 18. lbs. dist?
 80. 00 To a Post corner to Sec? 3. 4. 9. & 10. T. 4. S. R. 7. W. from
 which a W. Oak 18. in? diam? bears S. 71. E. 28. lbs. dist? & a
 Sugar 7. in? diam? bears N. 15. W. 54. lbs. dist?

T. 4. S. R. 7. W. 2nd Mer.Land gently Uneven; Timber. Oak. Hick^y Gum &c. Good soil.

-
- North Between Sec^s 8. & 9. T. 4. S. R. 7. W.
34. 50 A Run 6. lks. wide. Course S. E.
40. 00 Set a G^t Sec. Post from which a Gum 8. in^d diam^r bears S. 60. E. 14. lks. dist^t & a Gum 8. in^d diam^r bears N. 39. W. 28. lks. dist^t
67. 00 To a Run 12. lks. wide. Course S. E.
80. 00 Set a Post corner to Sec^s 4. 5. 8. & 9. T. 4. S. R. 7. W. from which a W. Oak 22. in^d diam^r bears S. 57. W. 25. lks. dist^t & a W. Oak 18. in^d diam^r bears N. 48 1/2. E. 31. lks. dist^t Land gently Uneven. Timber. Oak. & Hickory &c. Good Soil.
-

- North Between Sec^s 7 & 8. T. 4. S. R. 7. W.
21. 50 Set a B. Oak 12. in^d diam^r in the line.
40. 00 Set a G^t Sec. Post from which a W. Oak 42. in^d diam^r bears S. 57. W. 9. lks. dist^t & a Sugar 12. in^d diam^r bears N. 57. E. 30. lks.
43. 50 A Brook. 40. lks. wide. Course S. E.
59. 00 The Same " " " " " N. W.
60. 00 " Same " " " " " S. E.
80. 00 Set a Post corner to Sec^s 5. 6. 7. & 8. from which a W. Oak 9. in^d diam^r bears S. 29. E. 40. lks. dist^t & an Elm 16. in^d diam^r bears N. 20. W. 72. lks. dist^t Mostly 1st rate Bottom Land. Elm. Sugar. & hick^y.
-

- West Between Sec^s 6. & 7. On a True line T. 4. S. R. 7. W.
40. 00 Set a G^t Sec. Post: from which a Hickory 10. in^d diam^r bears S. M. W. 14. lks. dist^t & a Dogwood 6. in^d diam^r bears N. 30. E. 22 lks.
45. 00 To Run 6. lks. wide. Course. S. E.
95. 84 Intersected the W. Range line 64. lks. N. of the Post. & set a Post corner of Sec^s 6. & 7. T. 4. S. R. 7. W. from which a W. Oak 9. in^d diam^r bears S. 60. W. 19. lks. dist^t & a B. Oak 20. in^d diam^r bears N. 66. E. 79. lks. dist^t Land gently Uneven. Timber. W. Oak. Hickory. Gum. B. & W. Walnut. Good soil.
-

Dec. 4th. 1805.

- East On a Random line Between Sec^s 4 & 9. T. 4. S. R. 7. W.
13. 00 A Run 8. lks. wide. Course S. E.
40. 00 Set a G^t Sec. Post. Temporary.

T. N. 4. S. R. N. 7. W. 2nd Mer.

43. 50 A Run 15. lks. wide; Course S. E.
 (Supposed to be 83. 15) Intersecting the N. & S. line at a Post. 15. lks. N. of the Post.
 Corner to Sec. 3. 4. 9. & 10. Soil good. Timber. Gambes the last

West On the True line. Between Sec. 4. & 9.
 40. 00 Set a Gt. Sec. Post; from which an Elm 7. in. diam. bears S. 119.
 (41. 57 1/2) W. 28. lks. dist. & an Elm 6. in. diam. bears S. 16. E. 28. lks. dist.

East On a Random line Between Sec. 5. & 8. T. 4. S. R. 7. W.
 1. 50 A Brook 4. lks. wide. Course South.
 22. 00 A Run 6. lks. wide. Course S. W.
 40. 00 Set a Temporary Gt. Sec. Post.
 71. 50 To a Run 12. lks. wide. Course S. E.
 82. 00 Intersected the N. & S. line at the Post. Hilly 2nd rate Land.
 Timber. Oak. Gum &c.

West On a True line. Between Sec. 5. & 8. T. 4. S. R. 7. W.
 41. 00 Set a Gt. Sec. Post; from which a W. Oak 10. in. diam. bears
 S. 89. E. 37. lks. dist. & a W. Oak 7. in. diam. bears N. 31. W. 35. lks. dist.

East On a Random line Between Sec. 3. & 10. T. 4. S. R. 7. W.
 37. 00 A Run 6. lks. wide. Course S. E.
 40. 00 Set a Temporary Gt. Sec. Post.
 52. 00 A Brook 30 lks. wide. Course S. E.
 80. 20 Intersecting the N. & S. line at a Post Cor. of Sec. 2. 3. 10. & 11.
 The first half is good Upland. The 2nd half low. Clay Soil.

West On a True line. Between Sec. 3. & 10. T. 4. S. R. 7. W.
 40. 10 Set a Gt. Sec. Post from which an Elm 7. in. diam. bears S. 61.
 W. 15. lks. dist. & a B. Oak 10. in. diam. bears S. 49. E. 24. lks. dist.

East On a Random line Between Sec. 2. & 11. T. 4. S. R. 7. W.
 1. 11 A Brook 25. lks. wide. Course S. W.
 40. 11 Set a Temporary Gt. Sec. Post.
 47. 50 A Run 5 lks. wide. Course South.
 51. 11 Intersecting the N. & S. line at a Post corner of Sec. 1. 2. 11. & 12.
 Brushy. Barren Land. Thinly timbered.

T. N. 4. S. R. N. 7. W. 2nd Mer.

West On a True line Between Sec^s 2. & 3. T. 4. S. R. 7. W.
40. 50 Set a G^t Sec. Post no bearing Trees.

East On a Random line Between Sec^s 1. & 2. T. 4. S. R. 7. W.
10. 50 A Brook 30. lks. wide. Course S.
13. 00 Cropped a Trace. Course N.
25. 00 A Run 10. lks. wide. Course S. W.
40. 00 Set a Temporary G^t Sec. Post.
50. 30 Intersected E. Boundary. 5.55. lks. N. of the Post. 2nd rate
Land. thinly Timbered. with Oak. &c.

West On a True line. Between Sec^s 1. & 2. T. 4. S. R. 7. W.
40. 15 Set a G^t Sec. Post: from which a B. Jack 6. in^d diam^r. bears
N. 45. E. 26. lks. dist^t & a B. Jack 10. in^d bears S. 39. W. 3. lks.

North Between Sec^s 1. & 2. T. 4. S. R. 7. W.
21. 00 A Run 8. lks. wide, Course S. E.
40. 00 Set a G^t Sec. Post. from which a Dogwood 6. in^d diam^r. bears
S. 55. E. 10. lks. dist^t & a B. Jack 6. in^d diam^r. bears N. 55. W. 8. lks. dist^t
43. 00 Cropped a Trace. S. W.
72. 40 Intersected A. Boundary 75. lks. dist^t W. of the mile Post. & set a
Post corner to Sec^s 1. & 2. from which a B. Jack 12. in^d diam^r.
bears S. 65. E. 10. lks. dist^t. & a Beech 6. in^d bears N. 51. W. 8. lks.
Poor land. Sand. Timber. B. Oak. &c. &c. Dec. 5th 1805.

North Between Sec^s 2. & 3. T. 4. S. R. 7. W.
40. 00 Set a G^t Sec. Post. from which a B. Oak 6. in^d diam^r. bears N. 72.
W. 29. lks. dist^t & a Cherry 7. in^d diam^r. bears S. 55. E. 9. lks. dist^t.
67. 90 Intersected the A. Boundary at the 2. mile Post. & made it a
corner to Sec^s 2. & 3. T. 4. S. R. 7. W. Land gently Uneven.
Timber. W. & B. Oak. B. Jack. & Hickory. & many Berries. Brins
&c. Poor soil.

North Between Sec^s 3. & 4. T. 4. S. R. 7. W.
18. 00 A Run 6. lks. wide. Course E.
40. 00 Set a G^t Sec. Post: from which a M. Oak 30. in^d diam^r. bears S. 62.

T. No 4. S. Co. No 7. W. 2nd Mer.

- W. 28. lbs. dist 8 a M. Oak 12. in. diam. bears 1.66. E. 33. lbs. dist
 63. 40 Intersected the N. Boundary at the 3. mile. Post. & made it
 corner to Sec. 3. & 4. T. 4. S. Co. 7. W. Land Unimproved.
 Timber. W. Oak. Hickory. Gum. Elm. &c. Good soil.
 Spice. moccas. Gypsifras. &c. Undergrowth.

- North Between Sec. 4. & 5. T. 4. S. Co. 7. W.
 26. 40 A M. Oak 40. in. diam. in the line.
 40. 00 Set a G. Sec. Post. from which a M. Oak 12 in. diam. bears
 N. 34. 42. E. 40. lbs. dist & a P. 9. in. diam. bears 963. W. 43. lbs. dist
 114. 00 A Run 10. lbs. wide. Course S. E.
 51. 96 A M. Oak 22. in. diam. in the line
 59. 24 Intersected the N. Boundary 180. lbs. N. of the Post. (The 4 mile
 Post) & set corner to Sec. 4. & 5. T. 4. S. Co. 7. W. from which
 a M. Oak 25. in. diam. bears N. 38. E. 44. lbs. dist & a M. Oak
 16. in. diam. bears S. 35. W. 21. lbs. dist Hilly 2nd rate Land.
 Timber. Oak. Hickory. Gum. &c. many Brins. vines. &c.

- North Between Sec. 5. & 6. T. 4. S. Co. 7. W.
 5. 00 A Brook 35. lbs. wide. Course S. E.
 28. 00 Do a Run 8. lbs. wide. Course S. W.
 40. 00 Set a G. Sec. Post. from which a B. Oak 18. in. diam. bears
 S. 51. W. 21. lbs. dist & a B. Oak 36. in. diam. bears 1.51. E. 42.
 lbs. dist.
 54. 60 Intersected the N. Boundary 3.04 lbs. N. of the 5th mile Post.
 & set a Post corner to Sec. 5. & 6. T. 4. S. Co. 7. W. 2nd Mer.
 from which a M. Oak 24 in. diam. bears 1.68. E. 51. lbs. dist
 & a M. Oak 20. in. diam. bears S. 73. W. 42. lbs. dist This mile is
 Hilly Upland. W. & B. Oak. Timber, good soil. Dec 6th. 1805.

Surveyed by Stephen Benton.

I certify that the foregoing Transcript of the Field notes
 of Township No 4. S. of the Co. No 7. W. of the Mer. Ind. has been
 compared with the Original in this Office & found to be Correct.
 Surveyor General's Office.
 Cincinnati Nov 5th. 1839.

Sec. 36 N 7 W. 2. Mer. Indiana
ch. 1/2 m.

South Boundary (in Part.)

West On S. boundary of Sec. 36
40.00 Set q. Sec. post, from which
an Elm 20 in. diam. bran S 33 W 47 lbr. dist. of
a Maple 10 " " " N 3 E 19 " "
80.00 Set post Cor. to Sec. 35 of 36, from which
a Gum 9 in. diam. bran N 5 E 20 lbr. dist. of
a Hickory 10 " " " S 23 W 36 " "

West On S. boundary of Sec. 32
40.00 Set q. Sec. post, from which
a P. Oak 12 in. diam. bran S 51 E 25 lbr. dist. of
a Maple 8 " " " N 62 W 26 " "
80.00 Set post Cor. to Sec. 31 of 32, from which
a P. Oak 12 in. diam. bran N 57 W 18 lbr. dist. of
a Persimmon 6 " " " S 57 E 11 " "

East Boundary

Set post Cor. to Township 4 South, Range 6 E 7
West, from which
a Dogwood 8 in. diam. bran S 73 E 25 lbr. dist. of
a Hickory 13 " " " N 65 W 37 " "
North On E. boundary of Sec. 36
40.00 a Poplar 8 in. diam. q. Sec. Corner
80.00 Set post Cor. to Sec. 25 of 36, from which
a Hickory 12 in. diam. bran N 41 E 6 lbr. dist. of
a Span. Oak 18 " " " S 46 W 47 " "

North On E. boundary of Sec. 25
1.20 post set by Surveyor of Range 7
40.00 a W. Oak 10 in. diam. q. Sec. Corner
80.00 Set post Cor. to Sec. 24 of 25, from which
a Hickory 12 in. diam. bran N 6 W 37 lbr. dist. of
a P. Oak 5 " " " S 2 W 24 " "

North On E. boundary of Sec. 24

T4S R7W 2nd Mer. Indiana

ch. lhr.

2.30 post set by Surveyor of Range 7

40.00 set gr. sec. post, from which
a Gum 8 in. diam. bear South 11 lhr. dist. of
a No. 6 " " " N2W20 " "80.00 set post Cor. to Sec. 13 & 24, from which
a Shrub Oak 10 in. diam. bear S89E37 lhr. dist. of
a No. 12 " " " S79W62 " "

North On E. boundary of Sec. 13

1.10 post set by Surveyor of Range 7

40.00 set gr. sec. post, from which
a Gum 10 in. diam. bear N66W31 lhr. dist. of
a Hickory 10 " " " S51E4 " "80.00 set post Cor. to Sec. 12 & 13, from which
a P. Oak 8 in. diam. bear N12W14 lhr. dist. of
a Gum 6 " " " S48E9 " "

North On E. boundary of Sec. 12

1.20 post set by Surveyor of Range 7

40.00 set gr. sec. post in thicket of brush (no timber
for bearings)80.00 set post Cor. to Sec. 1 & 12 from which
a W. Oak 12 in. diam. bear S26W5 lhr. dist. of
a No. 18 " " " N2E20 " "

North On E. boundary of Sec. 1

40.00 a Dogwood 8 in. diam. gr. sec. Cor.

76.30 to the Township Cor. Cor. of Township 3 & 4 South
Range 6 & 7 W.Note— In running the Random line South, it
intersected 23 chains E. of the Corner of Town 5 S,
Range 6 & 7 West. Dec. 6 1805Edward W. Supper &
Augustus Stone
Deputy Surveyors

chth.

West Boundary

Oct. 31st 1875

North On E. boundary of Sec. 36, T4S, R8W

21.42 a Hickory 17 in. diam.

40.00 Set of Sec. post, from which

a P. Oak 11 in. diam. bear S51¹/₂W19¹/₂ br. dist. 5

a Do. 8 " " " S67¹/₂E10 " "

46.10 a P. Oak 20 " "

80.00 Set post Cor. to Sec. 25 & 36, from which

a Hickory 18 in. diam. bear N88¹/₂E8¹/₂ br. dist. 5

a Do. 10 " " " N49¹/₂W9 " "

Sand level Soil not good for farming, timber Oak,
Hickory, & Logwood? under g. Spice

North On E. boundary of Sec. 25, T4S, R8W

12.21 a P. Oak 15 in. diam.

33.00 enter rose tree thicket

40.00 Set of Sec. post, from which (in a thicket)

a P. Oak 4 in. diam. bear S83¹/₂E14¹/₂ br. dist. 5

No other

44.50 leave the rose tree & Plum thicket

45.00 a P. Oak 20 in. diam.

53.00 enter a swampy thicket extending E & W. with Willow
Birch & Shrub Oak

70.00 leave the thicket

80.00 Set post Cor. to Sec. 24 & 25, from which

a Pin Oak 11 in. diam. bear N49¹/₂E15¹/₂ br. dist. 5

a Do. 8 " " " N30¹/₂W24 " "

Sand level, timber Oak & Hickory

North On E. boundary of Sec. 24, T4S, R8W

20.75 a Hickory 17 in. diam.

40.00 Set of Sec. post, from which

a W. Oak 17 in. diam. bear N83¹/₂W31¹/₂ br. dist. 5

a Hickory 10 " " " S60¹/₂E27 " "

51.50 a P. Oak 30 " "

71.40 a P. Oak 23 " "

T. S. R. & M. D. Mer. Indiana

ch. 1/2

80.00 At post Cor. to Sec. 13 of 24, from which
 a Hickory 10 in. diam. bear N 57 E 18 lks. dist. of
 a do. 16 " " " N 84 W 18 " "
 Sand level timber Oak & Hickory

North On E. boundary of Sec. 13, T. 4 S. R. 8 W

10.25 a B. Oak 20 in. diam.

40.00 At q. Sec. post, from which
 a B. Oak 18 in. diam. bear S 70 W 26 lks. dist. of
 a R. Oak 19 " " " N 11 E 13 " "

65.75 a watercourse 10 lks. wide runs W.

80.00 At post Cor. to Sec. 12 of 13, from which
 a W. Oak 22 in. diam. bear N 57 E 49 lks. dist. of
 a Hickory 19 " " " S 34 W 50 " "
 Sand level, timber Oak & Hickory

North On E. boundary of Sec. 12, T. 4 S. R. 8 W

10.52 a B. Oak 22 in. diam.

12.66 a do. 20 " "

40.00 At q. Sec. post, from which
 a Gum 10 in. diam. bear S 9 E 18 lks. dist. of
 a Hickory 8 " " " S 16 E 10 " "

62.00 a watercourse 11 lks. wide runs N.

64.25 a W. Oak 20 in. diam.

80.00 At post Cor. to Sec. 11 of 12, from which
 a Hickory 16 in. diam. bear S 70 W 38 lks. dist. of
 a W. Oak 20 " " " N 29 E 24 " "
 Sand level timber Oak, Hickory, Gum

North On E. boundary of Sec. 1, T. 4 S. R. 8 W

10.50 a Gum 10 ~~lks.~~ wide inches diameter

40.00 At q. Sec. post, from which
 a W. Oak 11 in. diam. bear N 86 E 12 lks. dist. of
 a Hickory 13 " " " S 76 W 19 " "

53.80 to the Cor. of Towns 3 of 4 S, Range 7 of 8 West
 Oct. 31st, 1805 S. H. Smith, D. S.

For Certificate, see page 153.

T. N. 5. S. W. N. 7. W. 2nd Mer

I Certify that the foregoing transcript of field notes of
Townships N. ⁴ 5 S. of Range N. 7 W. of the 2^d Principal Mer.
Indiana, has been compared with the original notes in
this Office, and found to be correct.

Surveyor General's Office
Detroit April 10 1846

Geo. L. L.